

令和4年度ごみ分析結果一覧表(焼却ごみ)

調査日			R4.4.8	R4.5.6	R4.6.3	R4.7.1	R4.8.5	R4.9.2	R4.10.7	R4.11.4	R4.12.2	R5.1.6	R5.2.3	R5.3.3	年平均		
天候			晴	晴	曇	晴	曇	雨	雨	晴	晴	晴	晴	晴			
気温(°C)			—	26.0	26.2	34.0	27.5	30.0	21.4	22.1	15.0	12.0	13.2	16.0	20.3		
ごみ 質 組 成 分 析 (乾 物	試料採取量 kg		5.090	5.094	5.334	5.263	5.906	5.316	6.170	4.264	4.537	5.105	6.367	3.028	5.123		
	見掛比重	kg/L	0.900	0.670	1.200	1.600	0.970	1.500	0.970	1.000	1.400	0.720	1.000	1.100	1.086		
	三成分	全水分	%	42.6	31.3	48.3	52.9	38.3	54.6	37.3	31.3	53.3	46.1	44.6	33.9	42.9	
		全灰分	%	6.1	6.9	8.2	6.0	6.1	2.9	6.1	3.7	2.8	2.1	5.7	2.7	4.9	
		可燃分	%	51.3	61.8	43.5	41.1	55.6	42.5	56.6	65.0	43.9	51.8	49.7	63.4	52.2	
	低位発熱量	計算値	kcal/kg	2,055	2,592	1,668	1,533	2,273	1,584	2,322	2,737	1,657	2,052	1,970	2,649	2,091	
			kJ/kg	8,599	10,843	6,978	6,414	9,511	6,626	9,714	11,452	6,933	8,588	8,240	11,084	8,749	
		実測値	kcal/kg	2,899	3,497	2,334	1,840	2,902	1,869	2,734	3,132	1,956	3,107	3,063	3,949	2,774	
			kJ/kg	12,128	14,631	9,764	7,698	12,142	7,822	11,439	13,105	8,183	13,001	12,816	16,521	11,604	
	理 組 成	紙類	%	31.8	25.8	30.5	26.8	41.0	47.1	41.9	41.1	42.5	39.6	28.4	35.9	36.0	
			布類	%	3.5	15.3	6.1	2.5	7.2	1.7	4.2	6.6	11.7	8.3	13.1	13.3	7.8
			小計	%	35.3	41.1	36.6	29.3	48.2	48.8	46.1	47.7	54.2	47.9	41.5	49.2	43.8
		プラスチック類	フィルム系	%	19.2	15.0	13.7	18.9	19.0	14.5	10.6	12.3	12.4	32.1	23.0	27.7	18.2
			固形系	%	18.2	19.9	10.6	5.3	7.2	14.1	5.0	19.3	1.8	6.1	13.2	10.5	10.9
		合成樹脂類小計	%	37.4	34.9	24.3	24.2	26.2	28.6	15.6	31.6	14.2	38.2	36.2	38.2	29.1	
		ゴム・皮革類	%	0.1	1.8	2.2	4.8	8.7	0.2	4.5	0.8	0.5	0.6	1.7	0.0	2.2	
			小計	%	0.1	1.8	2.2	4.8	8.7	0.2	4.5	0.8	0.5	0.6	1.7	0.0	2.2
		木・竹・藁類	%	4.2	11.0	6.1	2.8	5.8	3.7	18.3	10.7	14.4	0.9	5.2	1.1	7.0	
			草木類小計	%	4.2	11.0	6.1	2.8	5.8	3.7	18.3	10.7	14.4	0.9	5.2	1.1	7.0
	厨芥類	%	17.1	4.4	25.0	21.6	8.0	16.1	12.4	6.9	11.8	9.0	8.6	10.5	12.6		
厨芥類小計		%	17.1	4.4	25.0	21.6	8.0	16.1	12.4	6.9	11.8	9.0	8.6	10.5	12.6		
金属類	鉄系	%	0.0	0.0	0.3	1.2	0.1	0.0	0.2	0.0	0.0	0.5	0.6	0.0	0.2		
	非鉄系	%	0.1	0.0	0.6	1.0	0.6	0.2	0.0	0.0	0.0	0.4	0.0	0.1	0.3		
	ガラス類	%	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1		
セトモノ・石・砂類	%	3.0	2.3	1.6	0.1	0.4	0.0	0.0	0.3	0.4	0.0	2.8	0.0	0.9			
	不燃物類小計	%	3.1	3.2	2.5	2.3	1.1	0.2	0.2	0.4	0.4	0.9	3.4	0.1	1.5		
その他の類	%	2.7	3.6	3.4	14.9	1.8	2.4	3.0	2.0	4.4	2.4	3.5	0.7	3.7			
	その他の類小計	%	2.7	3.6	3.4	14.9	1.8	2.4	3.0	2.0	4.4	2.4	3.5	0.7	3.7		
合	計	%	99.9	100.0	100.1	99.9	99.8	100.0	100.1	100.1	99.9	99.9	100.1	99.8	100.0		

※ 計算結果は数値丸めの処理により、合計値が100.0%にならないことがあります。【調査委託先：環境未来株式会社 山梨検査センター】